



palmer acoustics











PU COATING

WEAR LAYER

PRINTED LAYER

MIDDLE LAYER

FIBREGLASS SOLID LAYER

MIDDLE LAYER
BALANCE LAYER
DRY BACK LAYER





* Detailed picture of Ocean & Mountain Only

VINYL PLANK

Oasis Ocean Mountain Eco

DI 45018 DI 25018 DI L1505 LSANDV

Ogsis&Ocean Luxury VINYL PLANK

ROYAL OAK & AUTHENTIC WIDE PLANKS

SPECIFICATIONS

Oasis

Size

1,219.2 x 228.6 mm

Total Thickness 2.5 mm

Wear Layer Thickness 0.5 mm

Box Quantity 4.464 m² / 16 pcs / 20.69 kg

Ocean

Size 1,219.2 x 228.6 mm

Total Thickness 4.5 mm

Wear Layer Thickness 0.5 mm

Box Quantity 2.79 m² / 10 pcs / 20.72 kg





AUTHENTIC LONG & WIDE PLANKS

SPECIFICATIONS

Size

1,524 x 228.6 mm

Total Thickness 4.5 mm

Wear Layer Thickness 0.5 mm

Box Quantity 2.79 m² / 8 pcs / 22.5 kg





RUSTIC LONG & WIDE PLANKS

SPECIFICATIONS

Size


1,524 x 228.6 mm

Total Thickness 2.5 mm

Wear Layer Thickness 0.5 mm

Box Quantity 4.18 m² / 12 pcs / 18.81 kg

THICKNESS DLV2501	Coastal Blackbutt 1,524mm x 228.6mm
2.5 THICKNESS DLV2512	Silver Moon 1,524mm x 228.6mm
2.5 THICKNESS DLV2514	Sand Stone 1,524mm x 228.6mm




Accessories


ALUMINIUM TRIMS

Length 3.4m

STAIR NOSING

Length 3.4m





Want a complete final detail of the project with a clean line and a professional stylish finish? Decoline provides a wide range of equal and contrast angles of aluminum in various sizes and colors.

VINYL ADHESIVE



FEATURES

NON TOXICATION, NO ODOUR, SOLVENT FREE HIGH-ADHESION AND FLEXIBILITY

Looking for a water-based adhesive with user friendly, low odour and non-staining properties? Decoline's vinyl adhesive have exceptional bond strength in a wide range of applications. Our adhesive is a water-based high strength adhesive and is easy to spread for sticking vinyl planks to most concrete or plywood surfaces.

VINYL PLANK FEATURES



Easy to repair



Low maintenance



Antibacterial properties



Authentic timber feel



Durable and adaptable



Quick and easy to install



100% Water resistant



Tested up to 80°C

CONTACT US

DECOLINE FLOOR | Unit 3, 55 Musgrave Rd Coopers Plains QLD 4108 Call us on : 07 3488 8115 | Email us : info@decoline.com.au



www.decoline.com.au

@decoline_floors

@decolinefloors

For more information direct to your smartphone











* All pictures shown are for illustration purpose only. Actual colours may vary.