

# **DECO BOND**



Call: +61 1300 093 745  
[info@decoline.com.au](mailto:info@decoline.com.au)

3/3363~3365 Pacific Highway,  
Slacks Creek QLD 4127, AUSTRALIA

[www.decoline.com.au](http://www.decoline.com.au)

# CT-90 WATER-BASED PRESSURE-SENSITIVE ADHESIVE

## CARPET TILE, OA TILE

### FEATURES

- NON TOXICATION, NO ODOR, SOLVENT FREE
- SUPERIOR TO BEGINNING ADHESION STRENGTH
- SUPERIOR TO TACKY CONTINUATION

### SPECIFICATION

MAIN MATERIAL	ACRYL COPOLYMER
APPEARANCE	WHITE FLUID
VISCOSITY	1,200 ± 300CPS/25°C
SOLID CONTENT	57 ± 3%
PH	5 ± 2
OPEN TIME	10~15 MINUTES
USAGE AMOUNT	400~500g / 3.3m <sup>2</sup>

THE SURFACE OF THE FLOOR MUST BE KEPT WITH THE TEMPERATURE ABOVE 13°C AND ANY DUST, OIL & MOISTURE MUST BE COMPLETELY REMOVED FROM THE FLOOR BEFORE THE INSTALLATION

### APPLICATION

Pour the DecoBond on the substrate and spread it evenly with a roller. Wait up to 10~15 minutes till the glue gets tacky and lay floor coverings. Flatten carefully from the center towards the edges to eliminate air bubbles and ensure a good transfer of the adhesive. Press the carpet tile properly after installation and keep away from the water for at least 3days.

### INSTALLATION GUIDELINES

Any uneven or rough sections of the substrate must be eliminated with the application of a levelling compound. The substrate must be solid, smooth, clean, dry and free from any deleterious materials such as oils, waxes, dust and other contaminants e.g. Old paint, coatings and adhesives. The floor covering should be inspected prior to installation. It must be free of oil, dust or other loose or flaking surface contaminants.

### CAUTION

Do not apply at temperatures below +5°C. The product is for use in interiors. Keep out of reach of children. Ensure good ventilation during and after application and drying. Avoid eating, drinking or smoking while processing this product. In case of contact with eyes or skin rinse immediately with water. Do not allow product to reach sewage system or any water course. Do not allow to penetrate the ground/soil. Clean tools with soap and water immediately after use. Only properly emptied containers may be recycled. Dried product residues can be disposed of as normal household waste. For further information see the technical Data Sheet. Safety data sheet available on request.

### PRODUCT FOR PROFESSIONAL USE.

### Hazard Statement

- H302 Harmful if swallowed  
H312 Harmful in contact with skin  
H319 Causes serious eye irritation  
Precautionary Statements (Prevention)  
P264 Wash...thoroughly after handling  
P270 Do not eat, drink or smoke when using this product  
P280 Wear protective gloves/protective clothing/eye protection/face protection  
P281 Wear properly protective gloves/protective clothing/eye protection/face protection

### Precautionary Statements (Response)

- P301+P312 IF SWALLOWED : Immediately call a POISON CENTER/ doctor  
P330 Rinse mouth  
P302+P352 IF ON SKIN : Wash with plenty of water  
P312 Call a POISON CENTER/doctor/...if you feel unwell  
P322 Specific action  
P363 Wash contaminated clothing before reuse  
P305+P351+P338 IF IN EYES : Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing  
P337+P313 If eye irritation persists : Get medical advice/attention

### Storage

- P410+P403 Protect from sunlight. Store in a well-ventilated place. Avoid direct sunlight. Store protected against freezing

### Precautionary Statements (Disposal)

- P501 Dispose of contents/container to hazardous or special waste collection point





# **DECO BOND**



Call: +61 1300 093 745  
info@decoline.com.au

3/3363~3365 Pacific Highway,  
Slacks Creek QLD 4127, AUSTRALIA

[www.decoline.com.au](http://www.decoline.com.au)

# W-400H

## WATER-BASED ACRYLIC ADHESIVE

### P.V.C. VINYL & RUBBER FLOORING

#### FEATURES

- NON TOXICATION, NO ODOR, SOLVENT FREE
- HIGH-ADHESION AND FLEXIBILITY

#### SPECIFICATION

FEATURE	WHITE WITH HIGH - VISCOSITY
CAN BE APPLIED TO	CEMENT, CONCRETE, HARDBOARD, PLYWOOD AND SMOOTHING COMPOUNDS
AVERAGE AMOUNT NEEDS	250~350g/m <sup>2</sup>
OPEN TIME	10~15 MINUTES
WORKING TIME	30~40 MINUTES
AVAILABLE WALKING TIME	2~3 HOURS
COMPLETE HARDENING TIME	MORE THAN 24 HOURS
STORE ABOVE	0°C



#### APPLICATION

Pour the DecoBond on the substrate and spread it evenly with a notched trowel. Wait up to 10~15 minutes till the glue gets tacky and lay floor coverings within 30~40 minutes. Flatten carefully from the center towards the edges to eliminate air bubbles and ensure a good transfer of the adhesive. Press the floor coverings properly after installation and keep away from the water for at least 3days.

#### INSTALLATION GUIDELINES

Any uneven or rough sections of the substrate must be eliminated with the application of a levelling compound. The substrate must be solid, smooth, clean, dry and free from any deleterious materials such as oils, waxes, dust and other contaminants e.g. Old paint, coatings and adhesives. The floor covering should be inspected prior to installation. It must be free of oil, dust or other loose or flaking surface contaminants.

#### CAUTION

Do not apply at temperatures below +5°C. The product is for use in interiors. Keep out of reach of children. Ensure good ventilation during and after application and drying. Avoid eating, drinking or smoking while processing this product. In case of contact with eyes or skin rinse immediately with water. Do not allow product to reach sewage system or any water course. Do not allow to penetrate the ground/soil. Clean tools with soap and water immediately after use. Only properly emptied containers may be recycled. Dried product residues can be disposed of as normal household waste.

For further information see the technical Data Sheet. Safety data sheet available on request.

#### PRODUCT FOR PROFESSIONAL USE.

#### Hazard Statement

- H302 Harmful if swallowed
- H312 Harmful in contact with skin
- H319 Causes serious eye irritation

#### Precautionary Statements (Prevention)

- P264 Wash...thoroughly after handling
- P270 Do not eat, drink or smoke when using this product
- P280 Wear protective gloves/protective clothing/eye protection/face protection
- P281 Wear properly protective gloves/protective clothing/eye protection/face protection

#### Precautionary Statements (Response)

- P301+P312 IF SWALLOWED : Immediately call a POISON CENTER/doctor
- P330 Rinse mouth
- P302+P352 IF ON SKIN : Wash with plenty of water
- P312 Call a POISON CENTER/doctor/...if you feel unwell
- P322 Specific action
- P363 Wash contaminated clothing before reuse
- P305+P351+P338 IF IN EYES : Rinse cautiously with water for several minutes.
- Remove contact lenses, if present and easy to do.
- Continue rinsing
- P337+P313 If eye irritation persists : Get medical advise/attention

#### Storage

- P410+P403 Protect from sunlight. Store in a well-ventilated place. Avoid direct sunlight. Store protected against freezing

#### Precautionary Statements (Disposal)

- P501 Dispose of contents/container to hazardous or special waste collection point

